

ALGS

ALGS SERIES MOISTURE ANALYSER



Electronic moisture analyser with very high resolution.

DIVISION (g): 0.001. **CAPACITY (g)**: 60.

VONSILDVEJ 207 - 6000 - KOLDING - DENMARK Tel. 004575567310 Fax. 004575567320 info@cbh-vaegte.dk

TECHNICAL FEATURES

- Graphic LCD display and waterproof membrane keypad.
- Selection of the programme language in the set-up.
- 2 halogen 60 W lamps.
- Diameter of the weighing plate: 90mm.
- 10 sample plates.
- Resolution of humidity: 0,01%.
- Drying temperature: up to 160°C.
- Heating time (100°C): approximate time of 3 min.
- Drying time: up to 10h.
- Power supply: 230 Vac power adapter.
- PS2 input for connecting external PC keyboard.
- RS232/c port for connection to PC or printer.
- USB port for connection to PC.
- Upon request:
 - set of sample plates;
 - ACCREDIA calibration with issuing of the relative certificate.

FUNCTIONS

- Drying modes: end when reaching the established time, automatic end.
- Calculation methods: % of dry weight, % of humidity in relation to initial weight or to dry weight.
- Memory for up to 10 customized programs (mode, temperature, time, calculation method).
- Calculation and printing of the statistical evaluations.
- Displays the drying graphs.
- Entering free texts and computing the report through external PC keyboard.
- Date and time.
- Digital calibration.
- Semi-automatic tare.

VERSIONS

Available versions							
Codice	Classe	Piatto Max (mm)	Max (g)	d (g)	M (g)*	Linearità (g) +/-	Ripetibilità (g)
000.00			(9)	(9)	(9)	(9) ''	(9)
ALGS60		Ø 90 mm	60	0,001			





DINI ARGEO FRANCE sarl Nogent-sur-Marne DINI ARGEO **GMBH** Sinsheim - Germany DINI ARGEO UK Ltd

Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China

DINI ARGEO WEIGHBRIDGES Calto (RO) - Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy







CBH VAEGTE APS

VONSILDVEJ 207 - 6000 - KOLDING - DENMARK Tel. 004575567310 Fax. 004575567320 info@cbh-vaegte.dk

SALES AND TECHNICAL ASSISTANCE SERVICE