

BCSD

BCSD SERIES "DUAL LOADING" COUNTING SCALE



**SCALE
HOUSE**
electronic weighing

Counting scale, CONNECTABLE TO A SECOND REMOTE PLATFORM, particularly suitable for taking inventories and for counting small parts. Weight or piece quantity check, weight and pieces' totalisation function, 100 PLU memory.

Working in cooperation with:

CBH VAEGTE APS

VONSILDVEJ 207 - 6000 - KOLDING
Tel. 004575567310 Fax. 004575567320
info@cbh-vaegte.dk

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- 3 backlit LCD displays with 6 digits 20mm high for simultaneously viewing weight, average piece weight, and number of pieces.
- Membrane waterproof, alphanumeric and functional keypad with 20 keys and acoustic feedback.
- Stainless steel plate, 230x300mm size.
- Level and adjustable feet.
- Built-in rechargeable battery (about 70h battery life) and 230Vac power adapter.
- RS232/C port for connection to PC or printer.
- Configurable input for connection to second counting platform, with completely programmable capacity and division.
- Packaging: 440x370x220mm size - approximate weight of 5,5kg.
- Master Pack: 2 x (440x370x220)mm size - 2 x approximate weight of 5,5kg.
- Upon request: ACCREDIA calibration with issuing of relative certificate.

FUNCTIONS

- counting:
 - entry of sampling items,
 - entry of Average Piece Weight,
 - optimisation of the A.P.W.,
 - indication of insufficient A.P.W./sampling quantity,
 - 100 PLU memory, each with: alphanumeric description of 12 characters, tare, A.P.W.;
- weight or piece quantity check, with 2 thresholds and acoustic alarm;
- weight and pieces' totalisation;
- unit of measure conversion: kg, lb;
- zeroing;
- zero tracking;
- semi-automatic tare or enterable from keypad;
- digital calibration;
- auto switch-off;
- backlight command;
- low battery warning.

COUNTING FEATURES

- Internal sensitivity and minimum recommended A.P.W.:

| Model | BCSD6 | BCSD15 | BCSD30 |
|---------------------------|-------|--------|--------|
| Internal sensitivity g | 0,02 | 0,05 | 0,1 |
| Min. recommended A.P.W. g | 0,1 | 0,2 | 0,5 |

DETAIL 1



Example of application with 2 platforms

VERSIONS

Dual loading counting scale: Available versions

| Code | Max (kg) | d (g) | Masterpack 2 pcs |
|--------|-------------|----------|---------------------|
| BCSD6 | 6 | 0,1 | BCSD6C |
| BCSD15 | 15 | 0,2 | BCSD15C |
| BCSD30 | 30 | 0,5 | BCSD30C |

NOTE: available connection to a second remote platform of SCALE HOUSE series.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



CBH VAEGTE APS

VONSILDVEJ 207 - 6000 - KOLDING

Tel. 004575567310 Fax. 004575567320

info@cbh-vaegte.dk

SALES AND TECHNICAL ASSISTANCE SERVICE