

MCWN

MCWN "NINJA" SERIES SINGLE SECURITY SUSPENDED CRANE SCALES



Easy to use and reliable professional digital crane scales, for weighing in industrial environments, fitted with protective transport case.

The single security system makes them suitable for lifting and weighing the load.

Thanks to their compact size, these crane scales just slightly reduce the lifting distance of the crane. Available also CE-M APPROVED. Fitted with test certificate obtained with standard weights.

Working in cooperation with:

CBH VAEGTE APS

VONSILDVEJ 207 - 6000 - KOLDING - DENMARK
Tel. 004575567310 Fax. 004575567320
info@cbh-vaegte.dk

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- Single security system, for the lifting and the weighing of the load.
- In compliance with the directives 2006/42 CE, UNI EN 13155/2009, UNI EN 13889, 2014/30/EU.
- Fitted with the following upper and lower shackle:
 - GR3 for MCWNT1
 - GR6 for MCWNT3
 - GR6 for MCWNT6
 - GR9 for MCWNT9.
- Compact size and minimum distance between upper and lower shackle.
- 25 mm LCD backlit display, easily visible in any lighting condition.
- Precision: +/- 0.03% on MAX.
- 5-key waterproof keypad: Zero, semi automatic or preset Tare, Mode, Print, On/Off.
- Sturdy case in oven-fire painted steel.
- Fitted with infrared remote control for up to 8m distance use. The remote control can be configured by the customer as a single automatic tare or as a remote keypad.
- Power supply through 4 AA batteries, which may be rechargeable (operating time of about 40 hours).
- Digital calibration and programmable Set-Up directly from the keypad or from the PC with Dinitools.
- Programmable digital filter and auto switch-off.
- Operating temperature: -10 /+40 °C.
- RS232 serial port on RJ11 connector for quick programming with Dinitools.
- Fitted with protective transport case with dimensions (WxLxH) 175x480x390mm.

OPTIONS (ONLY AT TIME OF ORDER)

- 868Mhz radio interface
- Bluetooth [Interface](#)

DETAIL 1



DETAIL 2



Side view.

DETAIL 3



Protective transport case

DETAIL 4

| CODE | WEIGHT (kg) | |
|--------|-------------------|----------------|
| | WITHOUT PACKAGING | WITH PACKAGING |
| MCWNT1 | 8 | 11 |
| MCWNT3 | 10 | 14 |
| MCWNT6 | 11 | 15 |
| MCWNT9 | 15 | 18 |

VERSIONS

Available versions



| Codice | Max (kg) | d (kg) | M (kg) |
|---|----------------|-------------|--------|
| MCWNT1-3 | 300/600/1500 | 0,1/0,2/0,5 | -- |
| MCWNT1M-3  | 1500 | -- | 0,5 |
| MCWNT3-3 | 600/1500/3000 | 0,2/0,5/1 | -- |
| MCWNT3M-3  | 3000 | -- | 1 |
| MCWNT6-3 | 1500/3000/6000 | 0,5/1/2 | -- |
| MCWNT6M-3  | 6000 | -- | 2 |
| MCWNT9-3 | 3000/6000/9500 | 1/2/5 | -- |
| MCWNT9M-3  | 9000 | -- | 5 |



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



CBH VAEGTE APS

VONSILDVEJ 207 - 6000 - KOLDING - DENMARK

Tel. 004575567310 Fax. 004575567320

info@cbh-vaegte.dk

SALES AND TECHNICAL ASSISTANCE SERVICE