

WWSB

"WWSB" WHEEL WEIGHING PLATFORMS



Platforms designed for creating weighing stations for small sized vehicles (automobiles, carts, vans, etc.); particularly accurate and sturdy, with attention to details.







VONSILDVEJ 207 - 6000 - KOLDING Tel. 004575567310 Fax. 004575567320 info@cbh-vaegte.dk

FEATURES

- Platform dimensions: 400x410mm. Height 58mm. Weight approximately 14,5kg.
- Loading surface: 400x300mm.
- Very handy.
- Sturdy structure, made with special aluminium, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10m cable for connecting the platform to the indicator, complete of connector.
- IP65 aluminium load cells.
- IP68 stainless steel load cells, in the WWSB versions with 6t and 8t capacity.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- Fitted with IP68 protection, with IP68 connector and PUR cable.
- The WWS platforms are patented; the number is 1.342.302.
- Availables in legal for trade approved version.
- Availables in high resolution version.
- Availables upon price estimate in Atex version for 1&21 e 2&22 zones.

NOTES ABOUT THE LEGAL FOR TRADE APPROVED VERSIONS

- The platforms are for legal for trade use:
 - In the single-platform systems, not used to weigh vehicles.
 - In the wheel weighing systems in which the number of platforms is equal to the number of vehicle wheels.
 - In the axle weighing systems composed of one or more multiples of WWS platforms, except possible limitations of use for some European States.
- The CE-M legal for trade divisions indicated in the "version" table are available with ECEM option. ECEM option is needed for each legal for trade platform of the system.
- Legal for trade systems with more than one WWS, are fitted with the approval of the weight sum and related division:

Exemple for a 4 pads system

Single CE-M Platform: Max=1500kg and e=0,5kg

CE-M SUM: Max=6000kg and e=2kg

VERSIONS

Versioni disponibili					
	lxwxh	Max	d	M	d HR
Codice	(mm)	(kg)	(kg)	(kg)	(kg)*
WWSB600	400x300x58	600	0,2	0,2	
WWSB1500	400x300x58	1500	0,5	0,5	
WWSB3T	400x300x58	3000	1	1	0,1
WWSB6TR2	400x300x58	6000	2	2	0,2
WWSB8TR2	400x300x58	8000	5	5	0,5

^(*) Queste divisioni sono ottenibili solo con le relative opzioni





DINI ARGEO FRANCE sarl Nogent-sur-Marne

DINI ARGEO **GMBH** Sinsheim - Germany

UK Ltd Taunton - United Kingdom

DINI ARGEO

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China

DINI ARGEO WEIGHBRIDGES Calto (RO) - Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy







CBH VAEGTE APS

VONSILDVEJ 207 - 6000 - KOLDING Tel. 004575567310 Fax. 004575567320 info@cbh-vaegte.dk

 $SALES\ AND\ TECHNICAL\ ASSISTANCE\ SERVICE$